

WATER ADDITIVE

FOR ALKLALINE ZINC

INTRODUCTION

Water Additive is designed to enable tap water to be used in alkaline zinc plating processes.

BENEFITS

- Used where DI Water is unavailable.
- Liquid concentrate

SOLUTION MAKE-UP

Water Additive 3.0% v/v in alkaline zinc solutions (with hard water)

MAINTENANCE AND CONTROL

Water Additive should be added in the ratio 1 L to every 10 lb sodium hydroxide added for all water hardness.

STORAGE

Store in original containers above 40 °F.

SAFETY

CAUTION! Water Additive concentrates and working solutions contain strong alkaline ingredients. Avoid contact with eyes, skin and clothing. Wear chemical handler's gloves, goggles and protective clothing when handling. Read and understand Material Safety Data Sheet before using this product.

Manufactured for North America exclusively by **FOCUSTECH™**



2810 S. Roosevelt St.
Tempe, AZ 85282
Telephone (602) 268-3500
www.gmfchemicals.us

Page 1 of 2
WAT AD-08/23
NA-ISSUE 02

PRODUCT GROUPS

The following products are referred to in this data sheet.

PRODUCT NAME	PRODUCT NUMBER
Water Additive	581014

NOTICE

The information and recommendations of PMD (UK), Ltd. and Automated Chemical Solutions, Inc., and its representatives, regarding this product are, to the best of our knowledge, true and accurate. We make no guarantee of results because the conditions of actual use are beyond our control. We assume no liability for damages or penalties resulting from the use of this product or following our recommendations. Our recommendations and suggestions for use of this product are not intended to grant license to operate under or infringe any patent.

Manufactured for North America exclusively by **FOCUSTECH™**



2810 S. Roosevelt St.
Tempe, AZ 85282
Telephone (602) 268-3500
www.gmfchemicals.us

Page 2 of 2
WAT AD-08/23
NA-ISSUE 02